



VENTE OCCASION

jeanneau Prestige 46 fly

275 000 € ttc

## DESCRIPTION

Beau bateau en excellent état d'entretien.

Version 3 cabines + 2 salles de bain + cabine marin à l'arrière avec salle de bain privative.

Nombreux travaux d'entretien ordinaires et extraordinaires effectués entre 2018 et 2024.

Liste des œuvres disponibles sur demande.

Commission de vente exclue.

Équipement électronique de navigation:

Indicateur d'angle de barre, Commande électrique, Ordinateur fixe de bord, DSC VHF, Sondeur pêche (Raymarine), GPS (Raymarine E120), Pilote automatique (ST6001), Plotter GPS.

Équipement de pont:

Alarme moteur, Ancre (Bruce 12,5 kg + 50 mt. catena), Eau sous pression, 10 Batteries (motori + servizi + elica di prua + generatore), Chargeur de batterie (Quick), Douche de cockpit (con miscelatore c/f), Double barre à roue (sul fly con strumentazione completa), Phare de poursuite (di profondità), Flaps hydrauliques (Bennett), Indicateurs de flaps, Lavage de chaîne, Éclairage de courtoisie (Led), Passerelle (Besenzoni), Plateforme arrière (maggiorata), Pompe de cale automatique, Pompe de cale manuelle, Porte latérale, Cockpit en teck, Prise de quai, Connexion eau sous pression à quai, Répétiteur électronique (sul

## SPÉCIFICATIONS

MILLÉSIME

2005

LARGEUR

4.36

CAPACITÉ DE CARBURANT

1530

CABINES

3

MARQUE MOTEUR

Cummins QSC 8.3 -  
500 HO

PUISSANCE

2 X 500 CV

LONGUEUR

14.55

TIRANT D'EAU

1.20

PASSAGERS

14

SALLES DES BAINS

1

HEURES MOTEUR

1150

**Général**

---

TYPE	CONSTRUCTEUR	MODELE	PASSAGERS
moteur	jeanneau	Prestige 46 fly	14
LIEU / VISIBLE À			
Toscana			

**Dimensions / Performance**

---

POIDS (T)	CAPACITÉ RÉSERVOIR (L)	VITESSE DE CROISIÈRE (ND)	VITESSE MAX (ND)
9999.99	1530	23	27

**Construction / Aménagements**

---

MATÉRIAU COQUE	COULEUR COQUE	NB DE CABINES	COUCHETTES
Vetroresina	Bianco	3	6
SALLES DE BAIN			
1			

**Mécanique**

---

MOTEUR	NOMBRE DE MOTEURS PUISSANCE (CV)	HEURES MOTEUR	CARBURANT
Cummins QSC 8.3 - 500 HO	2 x 500	1150	Diesel
PROPULSEUR D'ÉTRAVE			

**Electricité / Air conditionné**

---

BATTERIE MOTEUR

CHARGEUR DE  
BATTERIE

GÉNÉRATEUR

AIR CONDITIONNÉ

CHAUFFAGE

**Equipements navigation**

---

GPS

PILOTE AUTOMATIQUE

VHF

COMPAS DE NAVIGATION

SONDEUR

ANCRE

FLYBRIDGE

**Cuisine / Blanchisserie / Divertissement**

---

MICRO-ONDES

CONGÉLATEUR

RÉFRIGÉRATEUR

TV

**Équipements de pont**

---

DOUCHE DE PONT

**Équipements de sécurité / divers**

---

RADEAU DE SURVIE

POMPE DE CALE














Cummins MerCruiser Diesel   
RELIABILITY THROUGH INNOVATION

### QSC6.3 Quantum Engine Series

**ENGINE DIMENSIONS**

Length*	Width	Height	Weight (Dry)
mm	in	mm	kg
1124	44.3	839	323
		962	307
		1090	335

\*Maximum allowed connection. Height may vary. Length is fuel-injection-free.

**FUEL CONSUMPTION (2.7 PROP CURVE)**

Rating	QSC3.3 100 HP	QSC3.3 130 HP	QSC3.3 150 HP	QSC3.3 180 HP	QSC3.3 200 HP
rpm	3000	2600	2300	2000	1800
hp	492	367	381	392	404
lph	105.1	238.4	264	242.2	218.1
gph	33.1	49.2	48.3	33.5	34.2
mpg	33	38.8	39.7	37.8	38.4
mpg	33	38.8	39.7	37.8	38.4


\*Reference data for 600, 550, and 500 hp ratings.

**Rating Definition:** Ratings are based on ISO 8666 conditions of 2300rpm (23.6 kts in 19ft) and 2370 (2170) and 20% relative humidity. Excludes 4000 series. Maximum fuel flow power available after initial warm-up time is 15% of rated power. Power must be maintained for 30 minutes.

**High Output (HO) Quantum Engines Only:** Intended for use in variable load applications where full power is limited to one hour and of every eight hours of operation. This rating is for performance versus operating applications that operate less than one hour per year.

**Intermittent Duty (INT):** Intended for use in variable load applications where full power is limited to ten hours out of every eight hours of operation. This rating is for performance versus operating applications that operate less than 1,000 hours per year.

**Maximum Demand (MD):** Intended for use in variable load applications where full power is limited to one hour out of every eight hours of operation. This rating is for performance versus operating applications that operate less than 500 hours per year.

 Cummins MerCruiser Diesel  
www.cummins.com  
4000 Lakes Ave. #201  
Channahon, IL 61615  
815/399-7300  
800/441-2277 Fax 815/399-7300  
©2007 Cummins MerCruiser Diesel

Cummins MerCruiser Diesel  
RELIABILITY THROUGH INNOVATION



## QSC8.3 Quantum Engine Series

### POWER RATINGS

Rating	HO/GS	HO	HO/GS	HO/INT	HO	INT/HO
Metric hp	600*	550*	540	500*	500	490
bhp	593	542	533	493	493	484
kW	442	404	398	368	368	361
Rated rpm	3000	3000	2600	2600	2600	2500
Max Torque ft-lbs	1327	1327	1273	1300	1280	1265
Max Torque N-m	1799	1799	1726	1763	1735	1715
rpm	1800	1800	1600	1800	1800	1700

\* Preliminary data for 600, 550, and 500 hp ratings.

### ENGINE SPECIFICATIONS

Configuration	In-line 6-cylinder, 4-stroke diesel
Bore & Stroke	114 mm x 135 mm (4.49 in x 5.31 in)
Displacement	8.3 L (505 in <sup>3</sup> )
Aspiration	Turbocharged/Aftercooled
Rotation	Counterclockwise facing flywheel

### FEATURES AND BENEFITS

#### Engine Design

With its roots going back to the proven 6CTA8.3, the **QSC8.3** is providing a Quantum Leap in the marine industry by incorporating the latest diesel engine technology. A high pressure common rail fuel system virtually eliminates start up white smoke and black smoke, improves fuel economy and significantly reduces noise. The engine includes a new cylinder head with four valves per cylinder, which allows the engine to breathe easier for increased acceleration and torque. All QSC8.3 ratings use a wastegated turbocharger.

#### Fuel System:

Left and right engine mounted fuel filter

#### Lubrication System:

Left and right engine mounted lube filter  
Cast aluminum oil pan

**Electrical System:** 12-volt and 24-volt systems available

**Emissions:** EPA Tier 2, IMO and RCD compliant

**Cooling System:** Sea water heat exchanger cooling system with electronic low coolant water level alarm

### AVAILABLE ACCESSORIES

**Air Intake System:** Light duty or serviceable type air cleaner

**Engine Controls:** C-Cruise Package (engine synchronization, slow idle, cruise 1 and 2, RPM +/-), back-up throttles, electronic throttle and shift

**Instrumentation:** SmartCraft® digital displays and/or analog gauges provide data on engine speed, oil pressure and engine load.

**Vessel System Integration:** SmartCraft monitors fluid level, vessel range, depth, vessel speed, rudder position, temperatures and more.

